

Brochure Design of MERCOTIN Drops 20 ml

65 mm
240 mm

MERCOTIN[®] 10mg

DROPS

NOSCAPINE

Non-narcotic Antitussive Agent

Noscapine is a benzyl-tetrahydroisoquinoline derivative with the following structural formula: **MERCOTIN[®]** is a brand name for noscapine preparation, which is produced by PT Eisai Indonesia.

Noscapine occurs as a white, odorless, tasteless powder and is stable in air and light. As it is neither habit-forming nor has the side effects associated with narcotic drugs, it has been excluded from the narcotic regulation by W.H.O.

PHARMACOLOGICAL PROPERTIES
MERCOTIN[®], is an antitussive agent to relief of unproductive cough.

CONTRAINDICATIONS
 Women child-bearing potential (because of potential mutagenic effects).

INDICATIONS
MERCOTIN[®] can be used for the relief of unproductive cough.

DOSAGE AND ADMINISTRATION
 Children 6-12 years old : 5 drops (1 ml),
 Adults : 10 drops (2 ml).
 The dose should be prescribed 3 to 4 times daily.
MERCOTIN[®] Drops can be administered with milk or fruit juice.

STORAGE
 Store below 30°C.

SUPPLY
 Plastic bottle of 20 ml.
 Each ml contains 10 mg of Noscapine.

Reg. No.: DKL7206102636A1

DO NOT DISPENSE WITHOUT PHYSICIAN'S PRESCRIPTION

Manufactured by
PT Eisai Indonesia
 BOGOR, INDONESIA

Under license of
Eisai Co., Ltd.
 TOKYO, JAPAN

65 mm

MERCOTIN® 10mg


DROPS

NOSCAPINE

Obat batuk yang tidak bersifat narkotik

Noskabin adalah derivat benzil-tetra-hidro-isokinolin dengan rumus bangun sebagai berikut: **MERCOTIN®** adalah nama paten untuk preparat noskabin yang dibuat oleh PT Eisai Indonesia.

Noskabin berupa serbuk berwarna putih, tidak berbau, tawar dan stabil terhadap udara dan cahaya. Noskabin tidak menimbulkan ketagihan dan tidak memiliki kerja ikutan seperti golongan obat-obat narkotika. Karena itu noskabin tidak termasuk dalam peraturan obat-obat narkotika Organisasi Kesehatan Dunia (W.H.O.).



FARMAKOLOGI
MERCOTIN® merupakan antitusif yang berkhasiat meredakan batuk yang tidak produktif.

KONTRAINDIKASI
 Wanita usia subur karena mempunyai efek mutagenik yang potensial.

INDIKASI
MERCOTIN® dapat meredakan batuk yang tidak produktif.

DOSIS DAN PEMAKAIANNYA
 Anak-anak 6-12 tahun : 5 tetes (1 ml),
 Dewasa : 10 tetes (2 ml).
 Diberikan 3-4 kali sehari.
MERCOTIN® Drops dapat juga dicampur dengan susu atau sari buah.

PENYIMPANAN
 Simpan pada suhu dibawah 30°C.

KEMASAN
 Botol plastik 20 ml.
 Tiap-tiap ml mengandung 10 mg Noskabin.

Reg. No.: DKL7206102636A1

HARUS DENGAN RESEP DOKTER

Dibuat oleh

PT Eisai Indonesia

BOGOR, INDONESIA



Dengan lisensi

Eisai Co., Ltd.

TOKYO, JAPAN

VENDOR CODE

Remark:

- 1) Flatted Dimension (P x L), 65 mm X 240 mm $\pm$ 2.0 mm
- 2) Printing Color, Black
- 3) Material, HVS Paper 60 gsm
- 4) Use Barmark (Front Page & Back Page) [REDACTED]
- 5) Finishing, Folded (3 Folds)
- 6) Dimension of Folding (P x L), 65 mm X 30 mm $\pm$ 2.0 mm